



PMME 2016

## Decision support systems in the metal casting industry: An academic review of research articles<sup>★</sup>

Sanatan Ratna<sup>a\*</sup>, Dhruv Prasad<sup>b</sup>  
\*

<sup>a</sup>MAE Department, ASET, Amity University, Noida-201313, U.P, India

<sup>b</sup>Department of Mechanical Engineering, Aryabhata Knowledge University, Patna-800001, India

---

### Abstract

This article offers a complete review of the research articles that are related to the application decision support and intelligent system with specific to metal/dry casting. Data were obtained from 89 articles that are published from 2000 to 2015 in 47 journals. The articles are categorized based upon three different based on numbers of impressions, material poured and application towards the pressure. They are further classified in to 10 subsectors. A widespread of the list is characterized journal articles which identified in this present study that provides relevant information/references for both practitioners and researchers on the application of decision support and intelligent systems to various stages of a metal/dies casting. In light of the developed classification framework, we identify gaps in extending the use of the decision support and artificial intelligent systems in the industry and suggest potential and applicable research areas for further consideration in this subject area.

© 2016 Elsevier Ltd. All rights reserved.

Selection and Peer-review under responsibility of International Conference on Processing of Materials, Minerals and Energy (July 29th – 30th) 2016, Ongole, Andhra Pradesh, India.

*Keywords:* metal casting; decision support syste; die casting; artificial intelligence system

---

---

\* This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike License, which permits non-commercial use, distribution, and reproduction in any medium, provided the original author and source are credited.

\* Corresponding author. Tel.: 91-9654802106

*E-mail address:* Sanatan\_ratna@yahoo.co.in

2214-7853 © 2016 Elsevier Ltd. All rights reserved.

Selection and Peer-review under responsibility of International Conference on Processing of Materials, Minerals and Energy (July 29th – 30th) 2016, Ongole, Andhra Pradesh, India.

## **1. Introduction**

Metal casting is considered as a 7000-year-old technology which offers a large range of routes in order to produce the components with a range of sizes, shapes, quantities, quality and metal requirements (Akarte et al., 1999). Metal casting is the simplest process in which mostly gives a direct routing to the shape of the product and it gives least expensive. The process of metal casting requires a mould cavity with the desired shape and metal that is molten is poured over the mould cavity. The main objective of the metal casting is produced beneficial implements for the human consumption and also for the beautiful work of art. From the ancient art casting, it is clear that modern industrial casting has their production which has significant skill and technological skill. In the ancient times learned and traditional skill has been used for the ages and experiences in order to produce acceptable casting.

The quality of the metal casting is affected by a number of parameters which are found at the different process stages. For example, defects that may result from improper parameters of the moulding and core sand include pinholes due to the presence of hydrogen, sand deformation, gas fractures, and shape imperfections. Defects that may result from improper construction or improper assembly of the pattern and moulds are fractures, shape imperfections, sand presence, is runs, cracks, gas presence, surface defects, mechanical damage, knob, flash, mismatch, pushing up, warping. Gases tend to dissolve in the liquid steel at all stages of the production of castings, i.e. during melting in the furnace, during tapping, during pouring of moulds, and even after pouring of the moulds before complete solidification of the casting. Therefore, reducing or eliminating casting defects such as blowholes, voids in the cast structure, pinholes, non-metallic presence or porosity, and scaling on the surface of casting requires strict control of the whole process of melting and casting. The control of charge and compliance with the technological regime during melting of alloys in a furnace for casting are particularly important in the absence of vacuum treatment of liquid metal (in an induction furnace or ladle). Possible defects caused by incorrect melting include is runs, slag presence, tears (caused by excessively high temperature), gas presence, incorrect chemical composition, and pinholes (Wilk-Kołodziejczyk et al., 2014).

The systematic review of the designer and robust in a way for evaluating the options that are available for identifying the best. The process selection is a manufacturing task in order to choose a method to transform the materials in to the one or more processes. The process considered to be more economical, and they are subjected for the meeting of technical constraints (Dieter, 1991). The manufacturing and material processing is a selection process problem in which multi-attribute decision-making problem. The decision is made during the preliminary design of an environment that is uncertain in the parameters, relationship and requirements. Material and process selection (MPS) occurs before the beginning of design for manufacturing (DFM) (Karthik et al., 2003). The study indicates that the product cost is around 5% of the total product cost, and the design is made of the stage effect of the product cost (Chen and Feng, 2000).

This study, therefore, aims to provide a systematic and inclusive evaluation of research articles in order to gain

insights into the applications of decision support in the metal casting system. It also aims to develop a classification framework to analyse the extant literature in this subject area to provide a reference for researchers to maximize effort value in future research.

The remaining of this paper is organised as follows. First, we propose a classification scheme for analysing the structure categorizing the articles relating to the applications of decision support and intelligent systems in metal casting. Second, we describe the research methodology adopted in conducting the study. Third, we scrutinize those articles in relation to our proposed framework. Fourth, we provide a discussion on the practical implications of applying such systems in the industry and identify potential areas for future research. Finally, we provide a summary and conclusion to describe the contributions as well as the limitations of the study.

### 1.1 Framework classifications for metal casting and decision support system

In order to understand the decision support system of metal casting we first analyse the structure industry this can be classified as follows: based upon the number of impressions, materials poured and application towards the pressure. These classifications are further subdivided in to 8 types such as single impression, multi-impression, hot chamber, cold chamber; gravity dies casting, low-pressure casting, high-pressure casting, vacuum casting and squeeze casting as shown in figure 1.




Fig. 1. Classification of metal/die casting

## *1.2 Application of decision support and intelligent systems*

There are a number of decision support and intelligent systems available in the market. In this study, we focus on the most common classifications related to decision support system.

### *Genetic algorithm*

Genetic algorithm (GA) is considered as an evolutionary population-based searching method. The algorithm makes use of probabilistic methods of search which is based on evolutionary and genetic principles (Chamber, 1995). GA is predominantly appropriate for solving the machine layout and scheduling problems faced metal casting (Chan et al., 1998; Hsu et al., 2009; Lin, 2009; Min and Cheng, 2006; Wong et al., 2000, 2005, 2006). GA is used for the optimization of the hybrid metal matrix in order to get a lower rate during the dry process of sliding (Radhika et al., 2015). Particularly, GA is used in scheduling production towards the casting industry. In GA, there are two types of phases in production: moulding and melting (Landmann et al., 2007). In the metal casting, GA is used for defect study which is based on Non-destructive testing (NDT) (Kumar et al., 2015).

### *Artificial Neural Networks*

Artificial Neural Networks (ANN) is a mathematical model based on the structure and function of biological neural networks (Liao, 2004). Rather than using traditional computer algorithms, ANN provides answers using heuristics that are similar to the human brain (Ngai et al., 2014). ANN used in metal casting is to minimize the casting defects (Singha and Singh, 2015). The mechanical properties of the casting are yield strength, ultimate tensile strength, elongation of percentage plays a vital role in their operational life. This mechanical property can be predicted using ANN (Sata and Ravi, 2015).

### *Fuzzy logic*

Fuzzy logic is an approach which says the “degree of truth” that uses the mathematical theory of fuzzy sets in order to deal with perceptible estimated rather than accurate (Liao, 2004). It is sometimes, though not exclusively; implemented using ANN. Fuzzy-logic can provide solutions to problems that involve the need to deal with approximations, uncertainty, and insufficient information (Kablan, 2014). Daws *et al.* (2008) aimed to propose automated advisory casting in order to develop a fuzzy model. The fuzzy sets or models are mathematical mean which represents imprecisely and vagueness information and therefore, the term fuzzy named. In the present study, the decision model enables the preference of the designer over the decision factor which can be implemented depending upon the weighted property index (WPI) for each section. There is a compatible rating among the product profile requirement and stored database that is an alternative to the database the fuzzy logic is generated for each decision criteria. The main objective of the fuzzy system is to solve the problems that are formed during the process

evaluation and selection activates. These models have the capability of recognizing, representing, manipulating, interpreting, and utilizing data and information that are vague and lack certainty. A ranked set of compatible alternative processes is output by the system. The study concludes that this approach is benefited by the existing system that is armed with the decision module or a database since it can be applied to all type of shape, casting or material. However, the limitation is the compatibility that is obtained from this system that may vary from parts to part from manufacturer.

### *Knowledge based system (KBS)*

Knowledge-based systems (KBS) are rule-based systems (Mahapatra, 1997) that incorporate database with a knowledge expert with linkages and coupling design in order to contribute the information retrieval system in response to specific queries and to make quick and effective decisions (Laudon and Laudon, 2002; Wiig, 1994). In the metal casting, the manufacturing knowledge is combined with the handbooks, design which is converted in to formal rule in terms of the system expert. In this, the rules are extracted manually through the guidelines and design parameters which can be split by the design stored and rules. Separating the rules are formed from the stored generic value which is possible to increase the repetition and avoids the flexibility to the knowledge base. It is found that when a rule is passed, the generator advice uses relevant facts that are quantified material and manufacturing process (Lockett and Guenov, 2007). This system can be of potential benefit to casting product designers, as well as foundry engineers, in identifying the most suitable casting process for a given specific design and for assessing a given design for a preferred casting process (Er et al., 1996).

### *Decision support system (DSS)*

Decision support system (DSS) is considered as a computer based system which can be involved in helping the decision makers in order to use models and data and to solve identified problems. (Rauscher, 1999); practically to automate a variety of tasks and to facilitate optimal decision-making within a given supply chain. DSS is designed in such a way that they provide sources towards the expertise which are unavailable and acts as a uniform source of knowledge which can be updated in order to merge the emerging new technologies (Plant and Hu, 1992). Because in many situations the quality of decisions is important, aiding the deficiencies of human judgment and decision making has been a major focus of science throughout history. Disciplines such as statistics, economics, and operations research developed various methods for making rational choices. More recently, these methods, often enhanced by a variety of techniques originating from information science, cognitive psychology, and artificial intelligence, have been implemented in the form of computer programs, either as stand-alone tools or as integrated computing environments for complex decision making. Such environments are often given the common name of decision support systems (DSSs). The concept of DSS is extremely broad, and its definitions vary, depending on the author's point of view. To avoid exclusion of any of the existing types of DSSs, we will define

them roughly as interactive computer-based systems that aid users in judgment and choice activities. Another name sometimes used as a synonym for DSS is knowledge-based systems, which refers to their attempt to formalize domain knowledge so that it is amenable to mechanized reasoning. Decision support systems are gaining an increased popularity in various domains, including business, engineering, the military, and medicine. They are especially valuable in situations in which the amount of available information is prohibitive for the intuition of an unaided human decision maker and in which precision and optimality are of importance. Decision support systems can aid human cognitive deficiencies by integrating various sources of information, providing intelligent access to relevant knowledge, and aiding the process of structuring decisions.

## **2. Research methodology**

In order to identify the extant literature review that is relevant to the present study, the study has adopted a framework developed by Ngai, Xiu and Chau (2009) for the selection of material as shown in figure 1. There are 4 phases in the framework (1) online database search, (2) first researcher classification, (3) individual verification of the results that are classified by the second researcher, and (4) Third researcher verification of the results. First, the study has selected five dominant online databases (Elsevier, IEEE, Science direct, Springer, and Emerald) and formed the external and confined the review to the extant literature exclusively found in journal articles referenced by these databases. This is because peer-reviewed journals are the most common forum in which researchers publish the findings of their work. We excluded conference papers, theses, dissertations, newspapers, textbooks, and unpublished papers; if these have relevant and efficacious content, they are likely to be a precursor to a subsequent journal publication.

With the use of the direct keywords search, we are selecting the articles that are related to decision and intelligent support system in metal casting; the articles are filtered using the keywords 'casting,' 'predesign casting,' 'metals' and 'material selection.' The searches included in the system are GA, ANN, fuzzy logic, KBS, and DSS. Overall around 47 journals articles were selected from 30 journals. The sample size considered is about 15 years from the 2000 to 2015. Hence, the review is focused towards the academic search activity, and it is found that the selected research is relevant to the present industry priorities and features.

In order to develop a classification framework, the articles were reviewed and analyzed in a detailed manner in order to reduce the bias to the researchers. Each reviewer provides his/ her own views in 1) the metal casting process; 2) Decision support and the intelligent systems that are adopted in each paper; 3) the objective of the paper; 4) the main contribution in understanding the metal casting process. In addition, the articles are classified according to the journal and publication.




Fig. 2. Selection criteria for the framework and evaluation process

### 3. Analysis and findings

According to the proposed framework, we classified the identified articles in terms of the application across various stages of a metal casting, the decision support and intelligent system to each specific area, to the year of publication and the type of journal. Table 1 represents the distribution 89 articles.

Table 1. Distribution of Journal articles

Stages	Type	Applied Artificial intelligent system	References
Based on number of impressions	Single impression	ANN GA ANN	Mulla et al., 2014 Li et al., 2016 Patel G C et al., 2016
	Multi impression	ANN GA KBS ES	Bajoghli et al., 2015 Singh et al., 2014 Easton et al., 2015 Elshahawy, 2015
Based on the material poured	Hot chamber	ANN KBS ES ES ES ANN GA GA ANN KBS ANN ES GA	Easton et al., 2014 Zhang et al., 2014 Okayasu et al., 2014 Drezet et al., 2014 Mirzadeh, 2014 Baolin Zhu & Haibin Yu, 2002 Naiwei Tu et al., 2009 Trautmann et al., 2005 Lyu et al., 2015 Guo Dongfen et al., 2009 Huanqin Li & Baiwu Wan, 2004 Singh, 2014 Kolesnikov et al., 2016
	Cold chamber dies to cast	ANN GA ES KBS ANN ES	Armillotta et al., 2015 Jin et al., 2015 Ratna & Prasad, 2014 Ferraro et al., 2015 Harrison, 1972 Kong et al., 2000
	Gravity dies to cast	ANN GA FUZZY KBS KBS HYBRID HYBRID ANN GA ANN GA FUZZY	Köhler et al., 2010 Griffiths & Kawai, 2010 Hallam & Griffiths, 2004 Kim et al., 1998 Anon, 1998 Saklakoglu et al., 2014 Swade, 2005 Bonollo et al., 2005 Reddy, 2011 Arunkumar et al., 2008 Hajjari & Divandari, 2008 Lin et al., 2014
		DSS DSS ANN ES	Fu et al., 2008 Zhang et al., 2007a Ghomashchi & Vikhrov, 2000 Cleary, 2010



Application towards the pressure	Low pressures die casting	FUZZY GA KBS ANN	Laws et al., 2008 Reddy & Ztioun, 2011 Luo, 2002 Zhang et al., 2005
	High pressures die casting	KBS ANN FUZZY KBS FUZZY ANN GA GA GA ES HYBRID ES DSS DSS ES KBS HYBRID ES ANN ANN	Inoue et al., 1992 Inoue, 1995 Niu et al., 2000 Mathieu et al., 2002 Dour et al., 2005 Liu et al., 2000 Aghion et al., 2001 Dargusch et al., 2006 Zhi-peng et al., 2008 Ghomashchi, 1995 Cleary et al., 2010 Sachdeva, 2012 Mohr & Treitler, 2008 Hamasaïid et al., 2008 Guo et al., 2008 Homayonifar et al., 2008 Kulasegaram et al., 2003 Dargusch et al., 2007 Gjestland & Westengen, 2007 Gunasegaram et al., 2007
	Vacuum die casting	GA ANN DSS DSS DSS DSS	Kim et al., 2000 Jin & Kang, 2011 Jin & Kang, 2012 Wen et al., 2012 Kuo et al., 2013 Gakamoto et al., 2005
	Squeeze die casting /Squeeze casting	ANN GA GA GA ANN ANN ANN DSS DSS FUZZY FUZZY HYBRID ANN GA ANN ANN ANN ANN	Maleki et al., 2006 Vijayaram et al., 2006 Maeng et al., 2000 Youn et al., 2004 Long et al., 1999 Britnell & Neailey, 2003 Boschetto et al., 2007 Zhang et al., 2007b Sun et al., 2011 Onat et al., 2007 Lianxi & Erde, 2000 Senthil & Amirthagadeswaran, 2012 Beffort et al., 2007 Chen et al., 2012 Vijian & Arunachalam, 2007 Howes, 1986 Fukunaga et al., 1991 Kang et al., 2000

### 3.1 Distribution by the application area

Table 2 represents the total number of articles found 'based on a number of impressions,' 'based on the material

poured’, and ‘application towards the pressure’ are as follows 7, 19, and 63 respectively. In these, the articles are highly concentrated on ‘high pressure die casting’ and ‘Squeeze casting’ with 20 and 16 articles. In high pressure die casting most of the articles focused on how casting is done at high pressure using metallic alloys such Ca, Al, Mg, etc.

Table 2 Description of the decision and intelligent system

Stages in casting	Decision and intelligent system							Total
	Expert system	Genetic Algorithm	Artificial neural network	Knowledge base system	Decision support system	Fuzzy logic system	Hybrid	
<b>Based on number of impressions</b>	1	2	3	1	---	---	---	7
Single impression	---	1	2	---	---	---	---	3
Multi impression	1	1	1	1	---	---	---	4
<b>Based on the material poured</b>	6	4	6	3	---	---	---	19
Hot chamber	4	3	4	2	---	---	---	12
Cold chamber die casting	2	1	2	1	---	---	---	6
<b>Application towards the pressure</b>	5	12	19	6	10	---	5	64
Gravity die to cast	---	3	3	2	---	2	2	12
Low pressures die casting	1	1	2	1	2	1	---	8
High pressures die casting	4	3	4	3	2	2	2	20
Vacuum die casting	---	1	1	---	4	---	---	6
Squeeze die casting	---	4	9	---	2	2	1	18

### 3.2 Distribution by the system type

Figure 3 represents the distribution of the articles by the system type. It is found from the below graph that ANN is most commonly used, and it is about 27 out of 89 selected articles whereas genetic algorithm is found to be 18. The ANN is used in various types in ‘number of impression’, ‘material poured’ and ‘applications that are applied towards the pressure’ which comprises about 8% of the selected articles. In this, the articles make use of the GA in order to address the issues that related to metallic chemical alloy casting.




Fig.3. Distribution of decision support and intelligent systems

### 3.3 Distribution by the year of publication

In this figure 4 represents the distribution of the articles between the years 2000-2015. The average number of papers published in each year is around 4.8. Overall, it is seen that at least one paper was published each year is with the highest rate of 11, 10, 9, 8 and 7 in the years 2014, 2000, 2007, 2008, and 2015 respectively. This indicates that decision support system in metal casting shows a gradual increase over the 2014. This shows that there is an increase in attention towards the casting and academics.




Fig. 4 Distribution of articles by year

#### 4. Discussion and conclusion

In this proposed framework the application of the decision and intelligent support system in metal casting and it identifies the gaps from the extent literature review which provides in turn an opportunity in future to study more about metal/die to cast. From the literature review it is found that most of the study are concentrated on GA and ANN very few have conducted by the authors Zhang et al., 2007b, Sun et al., 2011, Jin & Kang, 2012, Wen et al., 2012, Kuo et al., 2013 concentrated towards DSS. On the other hand, few authors have concentrated on KBS, ES, fuzzy and hybrid. In addition, it is found that largest journal of materials processing technology and materials science and engineering: A has the highest collection of journal articles and in this the collected articles are based on the only casting of metals through metallic alloys.

In future, more research can be conducted based on KBS, ES, Hybrid system by considering metal casting in different journals and adapting a large number of metallic alloys.

#### Reference

- [1] Wilk-Kołodziejczyk, D., Rojek, G. and Regulski, K. (2014) ‘The Decision Support System in the Domain of Casting Defects Diagnosis’, *Archives of Foundry Engineering*, Vol. 14 No. 3, pp. 107 – 110.
- [2] Dieter, G. (1991), *Engineering design a material and processing approach*, Mc Graw-Hil, New York.
- [3] Karthik, S., Chung, C.W. and Ramani, K. (2003) ‘Rapid Application Development of Process Capability: Supplier Models’, Volume 1: 23rd Computers and Information in Engineering Conference, Parts A and B, ASME, Vol. 2003, pp. 891–900.
- [4] Chen, Y. and Feng, S. (2000) ‘web-based process/material advisory system’, *Proceedings of IMECE00: ASME International Mechanical Engineering Congress and Exposition*, ASME, Orlando, Florida, pp. 1–8.
- [5] Chan, K.C.C., Hui, P.C.L., Yeung, K.W. and Ng, F.S.F. (1998) ‘Handling the assembly line balancing problem in the clothing industry using a genetic algorithm’, *International Journal of Clothing Science and Technology*, Vol. 10 No. 1, pp. 21–37.
- [6] Radhika, N., Vijaykarthik, K.T. and Shivaram, P. (2015) ‘Adhesive Wear Behaviour of Aluminium Hybrid Metal Matrix Composites Using Genetic Algorithm’, *Journal of Engineering Science and Technology*, Vol. 10 No. 3, pp. 258 – 268.
- [7] Landmann, R., Bittencourt, E., Demétrio, A.J. and Steuernagel, A.L. (2007) ‘Production Scheduling Optimization in the Casting Industry using Genetic Algorithms’, POMS 18 th Annual Conference, Dallas, Texas, USA, available at: <https://www.pomsmeetings.org/confpapers/007/007-0222.pdf>.
- [8] Kumar, S., Dharmalingam and Pandyrajan, R. (2015) ‘Defect analysis in a casting component and measures to mitigate it using Non-Destructive Testing and Genetic Algorithm’, *International Journal of Advanced Engineering Research and Applications*, Vol. 1 No. 2, pp. 56–62.
- [9] Liao, S. (2004) ‘Expert systems methodologies and applications – a decade review from 1995– 2004’, *Expert Systems with Applications*, Vol. 28 No. 1, pp. 1–11.
- [10] Ngai, E.W.T., Peng, S., Alexander, P. and Moon, K.K.L. (2014) ‘Decision support and intelligent systems in the textile and apparel supply chain: An academic review of research articles’, *Expert Systems with Applications*, Vol. 41 No. 1, pp. 81–91.
- [11] Singha, S.K. and Singh, S.J. (2015) ‘Analysis and Optimization of Sand Casting Defects with the Help of Artificial Neural Network’, *International Journal of Research in Engineering and Technology*, Vol. 4 No. 5, pp. 24–29. Sata, A. and Ravi, B. (2015) ‘Mechanical Property Prediction of Investment Castings using Artificial Neural Network and Multivariate Regression Analysis’, *Technical Paper Presented at Indian Foundry Congress, Noida*, pp. 1–15.
- [12] Kablan, A. (2014) ‘A review of artificial intelligence techniques in trading systems’, *The Business Review*, Vol. 14 No. 1, pp. 222–228.
- [13] Daws, K.M., AL-Dawood, Z.I. and AL-Kabi, S.H. (2008) ‘Selection of Metal Casting Processes: A Fuzzy Approach’, *Jordan Journal of Mechanical and Industrial Engineering*, Vol. 2 No. 1, pp. 45–52.
- [14] Mahapatra, R.K. (1997) ‘Case-based reasoning: Extending the frontiers of knowledge-based systems’, *The Journal of Computer Information Systems*, Vol. 38 No. 2, pp. 87–94.
- [15] Laudon, K.C. and Laudon, J.P. (2002), *Essential of management information systems*, Prentice Hall, Englewood cliffs, NJ, 5th ed.
- [16] Lockett, H. and Guenov, M. (2007) ‘A Knowledge Based Expert System for Moulded Part Design’, *International Conference on Engineering Design, ICED’07, France*, pp. 1–10.

- [17] Rauscher, H.M. (1999) 'Ecosystem management decision support for federal forests in the United States: A review', *Forest Ecology and Management*, Vol. 114 No. 2-3, pp. 173–197.
- [18] Plant, R.T. and Hu, Q. (1992) 'The Development of a Prototype DSS for the Dianosis of Casting Production Defects', *Computers & Industrial Engineering*, Vol. 22 No. 2, pp. 133–146.
- [19] Ngai, E.W.T., Xiu, L. and Chau, D.C.K. (2009) 'Application of data mining techniques in customer relationship management: A literature review and classification', *Expert Systems with Applications*, Vol. 36 No. 2, pp. 2592–2602.
- [20] Mulla, J.G., Potdar, V.V. and Kulkarni, S.S. (2014) 'Investigating Die Casting Process Parameters To Identify The Optimized Levels Using Taguchi Methods For Design Of Experiment (Doe)', *International Journal of Advanced Engineering Research and Studies*, Vol. 1 No. 10, pp. 317–329.
- [21] Li, H., Gutierrez, L., Toda, H., Kuwazuru, O., Liu, W., Hangai, Y., Kobayashi, M., et al. (2016) 'Identification of material properties using nanoindentation and surrogate modeling', *International Journal of Solids and Structures*, Vol. 81, pp. 151–159.
- [22] Patel G C, M., Krishna, P., Parappagoudar, M.B. and Vundavilli, P.R. (2016) 'Multi-Objective Optimization of Squeeze Casting Process using Evolutionary Algorithms', *International Journal of Swarm Intelligence Research*, Vol. 7 No. 1, pp. 55–74.
- [23] Bajoghli, F., Sabouhi, M., Nosouhian, S., Davoudi, A. and Behnamnia, Z. (2015) 'Comparing the Accuracy of Three Different Impression Materials in Making Duplicate Dies', *Journal of International Oral Health*, Vol. 7 No. 7, pp. 12–16.
- [24] Singh, D., Nishad, S., Sareen, A. and Sharma, M. (2014) 'Marginal integrity of metal copings of various porcelain fused to metal alloys using different ring casting techniques: A systematic literature review', *European Journal of Prosthodontics*, Vol. 2 No. 1, p. 7.
- [25] Easton, M.A., Zhu, S., Abbott, T.B., Dargusch, M., Murray, M., Savage, G., Hort, N., et al. (2015) 'Evaluation of Magnesium Die-Casting Alloys for Elevated Temperature Applications: Castability', *Advanced Engineering Materials*, p. n/a–n/a.
- [26] Elshahawy, W. (2015) 'Marginal accuracy in casting titanium fixed partial dentures', *Tanta Dental Journal*, Vol. 12 No. 2, pp. 119–123.
- [27] Easton, M.A., Gibson, M.A., Zhu, S. and Abbott, T.B. (2014) 'An A Priori Hot-Tearing Indicator Applied to Die-Cast Magnesium-Rare Earth Alloys', *Metallurgical and Materials Transactions A*, Vol. 45 No. 8, pp. 3586–3595.
- [28] Lin, B., Zhang, W., Lou, Z., Zhang, D. and Li, Y. (2014) 'Comparative study on microstructures and mechanical properties of the heat-treated Al–5.0Cu–0.6Mn–xFe alloys prepared by gravity die casting and squeeze casting', *Materials & Design*, Vol. 59, pp. 10–18.
- [29] Okayasu, M., Ota, K., Takeuchi, S., Ohfuji, H. and Shiraishi, T. (2014) 'Influence of microstructural characteristics on mechanical properties of ADC12 aluminum alloy', *Materials Science and Engineering: A*, Vol. 592, pp. 189–200.
- [30] Drezet, J.-M., Mireux, B., Szaraz, Z. and Pirling, T. (2014) 'In situ Neutron Diffraction during Casting: Determination of Rigidity Point in Grain Refined Al-Cu Alloys', *Materials*, Vol. 7 No. 2, pp. 1165–1172.
- [31] Mirzadeh, H. (2014) 'Constitutive analysis of Mg–Al–Zn magnesium alloys during hot deformation', *Mechanics of Materials*, Vol. 77, pp. 80–85.
- [32] Baolin Zhu and Haibin Yu. (2002) 'A mathematical programming model for scheduling steel making-continuous casting-hot rolling production', *The 2002 International Conference on Control and Automation, 2002. ICCA. Final Program and Book of Abstracts., IEEE*, pp. 107–107.
- [33] Naiwei Tu, Hui Huang, Tianmu Ma, Binglin Zheng and Tianyou Chai. (2009) 'Model and algorithm of integrated lot planning for steelmaking-continuous casting-hot rolling', *2009 Chinese Control and Decision Conference, IEEE*, pp. 5105–5110.
- [34] Trautmann, A., Heuck, F., Mueller, C., Ruther, P. and Paul, O. (2005) 'Replication of microneedle arrays using vacuum casting and hot embossing', *The 13th International Conference on Solid-State Sensors, Actuators and Microsystems, 2005. Digest of Technical Papers. TRANSDUCERS '05., IEEE*, Vol. 2, pp. 1420–1423. Lyu, M., Wang, Z. and Chan, F.T.S. (2015) 'Mixed integer programming model and heuristic algorithm for production planning of continuous casting and hot rolling', *2015 IEEE International Conference on Automation Science and Engineering (CASE), IEEE*, pp. 1503–1508.
- [35] Guo Dongfen, Li, F. and Li Tieke. (2009) 'Integrated batch planning model and algorithm for steelmaking-continuous Casting-hot Rolling', *2009 4th IEEE Conference on Industrial Electronics and Applications, IEEE*, pp. 986–991.
- [36] Huanqin Li and Baiwu Wan. (2004) 'Using wavelet neural network model product quality of continuous casting furnace and hot rolling mill', *Fifth World Congress on Intelligent Control and Automation (IEEE Cat. No.04EX788), IEEE*, Vol. 4, pp. 3381–3384.
- [37] Singh, D., Nishad, S., Sareen, A. and Sharma, M. (2014) 'Marginal integrity of metal copings of various porcelain fused to metal alloys using different ring casting techniques: A systematic literature review', *European Journal of Prosthodontics*, Vol. 2 No. 1, p. 7.
- [38] Kolesnikov, M.S., Mukhametzyanova, G.F. and Zubkov, E. V. (2016) 'Optimization of Heat Treatment Modes of Steel 4Kh5MFS for Metal Conduits of Hot-Chamber Pressure Casting Machines According to Results of Endurance Tests in Molten TsAM-4-1', *Metal Science and Heat Treatment*, Vol. 57 No. 11-12, pp. 690–693.
- [39] Armillotta, A., Fasoli, S. and Guarinoni, A. (2015), *Cold flow defects in zinc die casting: prevention criteria using simulation and experimental investigations*, *The International Journal of Advanced Manufacturing Technology*, Springer, London, doi:10.1007/s00170-015-7959-4.
- [40] Jin, C., Jang, C. and Kang, C. (2015) 'Vacuum Die Casting Process and Simulation for Manufacturing 0.8 mm-Thick Aluminum Plate with Four Maze Shapes', *Metals*, Vol. 5 No. 1, pp. 192–205.
- [41] Ratna, S. and Prasad, D. (2014) 'Application of Artificial Neural Network for Optimization of Cold Chamber Aluminium Die Casting', *International Journal of Innovative Research in Advanced Engineering*, Vol. 1 No. 5, pp. 43–47.

- [42] Ferraro, S., Fabrizi, A. and Timelli, G. (2015) 'Evolution of sludge particles in secondary diecast aluminum alloys as function of Fe, Mn and Cr contents', *Materials Chemistry and Physics*, Vol. 153, pp. 168–179.
- [43] Harrison, P.F. (1972) 'Development of the cold chamber pressure die casting machine', *Production Engineer*, Vol. 51 No. 9, p. 289.
- [44] Kong, L.X., She, F.H., Nahavandi, S. and Kouzani, A.Z. (2000) 'Die temperature monitoring of high pressure die casting', *SMC 2000 Conference Proceedings. 2000 IEEE International Conference on Systems, Man and Cybernetics. 'Cybernetics Evolving to Systems, Humans, Organizations, and their Complex Interactions'* (Cat. No.00CH37166), IEEE, Vol. 3, pp. 1756–1761.
- [45] Köhler, E., Klimesch, C., Bechtle, S. and Stanchev, S. (2010) 'Cylinder head production with gravity die casting', *MTZ worldwide*, Vol. 71 No. 9, pp. 38–41.
- [46] Griffiths, W.D. and Kawai, K. (2010) 'The effect of increased pressure on interfacial heat transfer in the aluminium gravity die casting process', *Journal of Materials Science*, Vol. 45 No. 9, pp. 2330–2339.
- [47] Hallam, C.P. and Griffiths, W.D. (2004) 'A model of the interfacial heat-transfer coefficient for the aluminum gravity die-casting process', *Metallurgical and Materials Transactions B*, Vol. 35 No. 4, pp. 721–733.
- [48] Kim, S.-W., Durrant, G., Lee, J.-H. and Cantor, B. (1998) 'The Microstructure of Direct Squeeze Cast and Gravity Die Cast 7050 (Al–6.2Zn–2.3Cu–2.3Mg) Wrought Al Alloy', *Journal of Materials Synthesis and Processing*, Vol. 6 No. 2, pp. 75–87.
- [49] Saklakoglu, N., Gencalp Irizalp, S., Ercayhan, Y. and Birol, Y. (2014) 'Investigation of wear behaviour of thixoformed and conventional gravity cast AlSi8Cu3Fe alloys', *Industrial Lubrication and Tribology*, Vol. 66 No. 1, pp. 46–50.
- [50] Swade, D.D. (2005) 'The Construction of Charles Babbage's Difference Engine No. 2', *IEEE Annals of the History of Computing*, Vol. 27 No. 3, pp. 70–78.
- [51] Bonollo, F., Urban, J., Bonatto, B. and Botter, M. (2005) 'Gravity and low pressure die casting of aluminium alloys: a technical and economical benchmark', *ALLUMINIO E LEGHE*, No. 6, pp. 23–32.
- [52] Reddy. (2011) 'Tensile fracture behaviour of 7072/SiCp metal matrix composites fabricated by gravity die casting process', *Materials Technology: Advanced Performance Materials*, Vol. 26 No. 5, pp. 1–6.
- [53] Reddy, C. and Ztioun, E. (2011) 'Tensile Properties and Fracture Behavior of 6061/Al<sub>2</sub>O<sub>3</sub> Metal Matrix Composites Fabricated by Low Pressure Die Casting Process', *International Journal of Materials Science*, Vol. 6 No. 2, pp. 147–157.
- [54] Arunkumar, S., Sreenivas Rao, K.V. and Prasanna Kumar, T.S. (2008) 'Spatial variation of heat flux at the metal–mould interface due to mould filling effects in gravity die-casting', *International Journal of Heat and Mass Transfer*, Vol. 51 No. 11-12, pp. 2676–2685.
- [55] Hajjari, E. and Divandari, M. (2008) 'An investigation on the microstructure and tensile properties of direct squeeze cast and gravity die cast 2024 wrought Al alloy', *Materials & Design*, Vol. 29 No. 9, pp. 1685–1689.
- [56] Lin, B., Zhang, W., Lou, Z., Zhang, D. and Li, Y. (2014) 'Comparative study on microstructures and mechanical properties of the heat-treated Al–5.0Cu–0.6Mn–xFe alloys prepared by gravity die casting and squeeze casting', *Materials & Design*, Vol. 59, pp. 10–18.
- [57] Fu, P., Luo, A.A., Jiang, H., Peng, L., Yu, Y., Zhai, C. and Sachdev, A.K. (2008) 'Low-pressure die casting of magnesium alloy AM50: Response to process parameters', *Journal of Materials Processing Technology*, Vol. 205 No. 1-3, pp. 224–234.
- [58] Zhang, B., Maijer, D.M. and Cockcroft, S.L. (2007) 'Development of a 3-D thermal model of the low-pressure die-cast (LPDC) process of A356 aluminum alloy wheels', *Materials Science and Engineering: A*, Vol. 464 No. 1-2, pp. 295–305.
- [59] Zhang, M., Zhang, W.-W., Zhao, H.-D., Zhang, D.-T. and Li, Y.-Y. (2007) 'Effect of pressure on microstructures and mechanical properties of Al-Cu-based alloy prepared by squeeze casting', *Transactions of Nonferrous Metals Society of China*, Vol. 17 No. 3, pp. 496–501.
- [60] Ghomashchi, M. and Vikhrov, A. (2000) 'Squeeze casting: an overview', *Journal of Materials Processing Technology*, Vol. 101 No. 1-3, pp. 1–9.
- [61] Cleary, P.W. (2010) 'Extension of SPH to predict feeding, freezing and defect creation in low pressure die casting', *Applied Mathematical Modelling*, Vol. 34 No. 11, pp. 3189–3201.
- [62] Laws, K.J., Gun, B. and Ferry, M. (2008) 'Large-scale production of Ca<sub>65</sub>Mg<sub>15</sub>Zn<sub>20</sub> bulk metallic glass samples by low-pressure die-casting', *Materials Science and Engineering: A*, Vol. 475 No. 1-2, pp. 348–354.
- [63] Reddy. (2011) 'Tensile fracture behaviour of 7072/SiCp metal matrix composites fabricated by gravity die casting process', *Materials Technology: Advanced Performance Materials*, Vol. 26 No. 5, pp. 1–6.
- [64] Luo, A.A. (2002) 'Magnesium: Current and potential automotive applications', *JOM*, Vol. 54 No. 2, pp. 42–48.
- [65] Zhang, B., Cockcroft, S.L., Maijer, D.M., Zhu, J.D. and Phillion, A.B. (2005) 'Casting defects in low-pressure die-cast aluminum alloy wheels', *JOM*, Vol. 57 No. 11, pp. 36–43.
- [66] Inoue, A., Nakamura, T., Nishiyama, N. and Masumoto, T. (1992) 'Mg:Y Bulk Amorphous Alloys with High Tensile Strength Produced by a High-Pressure Die Casting Method', *Materials Transactions, JIM*, Vol. 33 No. 10, pp. 937–945.
- [67] Niu, X.P., Hu, B.H., Pinwill, I. and Li, H. (2000) 'Vacuum assisted high pressure die casting of aluminium alloys', *Journal of Materials Processing Technology*, Vol. 105 No. 1-2, pp. 119–27.
- [68] Mathieu, S., Rapin, C., Hazan, J. and Steinmetz, P. (2002) 'Corrosion behaviour of high pressure die-cast and semi-solid cast AZ91D alloys', *Corrosion Science*, Vol. 44 No. 12, pp. 2737–2756.
- [69] Dour, G., Dargusch, M., Davidson, C. and Nef, A. (2005) 'Development of a non-intrusive heat transfer coefficient gauge and its application to high pressure die casting', *Journal of Materials Processing Technology*, Vol. 169 No. 2, pp. 223–233.

- [70] Liu, G.W., Morsi, Y.S. and Clayton, B.R. (2000) 'Characterization of the spray cooling heat transfer involved in a high pressure die casting process', *International Journal of Thermal Sciences*, Vol. 39 No. 5, pp. 582–591.
- [71] Aghion, E., Bronfin, B. and Eliezer, D. (2001) 'The role of the magnesium industry in protecting the environment', *Journal of Materials Processing Technology*, Vol. 117 No. 3, pp. 381–385.
- [72] Dargusch, M.S., Dour, G., Schauer, N., Dinnis, C.M. and Savage, G. (2006) 'The influence of pressure during solidification of high pressure die cast aluminium telecommunications components', *Journal of Materials Processing Technology*, Vol. 180 No. 1-3, pp. 37–43.
- [73] Gjestland, H. and Westengen, H. (2007) 'Advancements in High Pressure Die Casting of Magnesium', *Advanced Engineering Materials*, Vol. 9 No. 9, pp. 769–776.
- [74] Gunasegaram, D.R., Finin, B.R. and Polivka, F.B. (2007) 'Melt flow velocity in high pressure die casting: its effect on microstructure and mechanical properties in an Al–Si alloy', *Materials Science and Technology*, Vol. 23 No. 7, pp. 847–856.
- [75] Kang, H.G., Park, E.S., Kim, W.T., Kim, D.H. and Cho, H.K. (2000) 'Fabrication of Bulk Mg–Cu–Ag–Y Glassy Alloy by Squeeze Casting', *Materials Transactions, JIM*, Vol. 41 No. 7, pp. 846–849.
- [76] Jin, C.K. and Kang, C.G. (2011) 'Fabrication process analysis and experimental verification for aluminum bipolar plates in fuel cells by vacuum die-casting', *Journal of Power Sources*, Vol. 196 No. 20, pp. 8241–8249.
- [77] Jin, C.K. and Kang, C.G. (2012) 'Fabrication by vacuum die casting and simulation of aluminum bipolar plates with micro-channels on both sides for proton exchange membrane (PEM) fuel cells', *International Journal of Hydrogen Energy*, Vol. 37 No. 2, pp. 1661–1676.
- [78] Wen, W., Luo, A.A., Zhai, T., Jin, Y., Cheng, Y.-T. and Hoffmann, I. (2012) 'Improved bending fatigue and corrosion properties of a Mg–Al–Mn alloy by super vacuum die casting', *Scripta Materialia*, Vol. 67 No. 11, pp. 879–882.
- [79] Kuo, C.-G., Chang, H., Hwang, L.-R., Hor, S., Chen, J.-S., Liu, G. and Cheng, S.-C. (2013) 'Fabrication of a Pb–Sn nanowire array gas sensor using a novel high vacuum die casting technique', *Electronic Materials Letters*, Vol. 9 No. 4, pp. 481–484.
- [80] Gakamoto, T., Kira, K. and Kambe, H. (2005) 'Development of Automotive Suspension Part by High Vacuum Die Casting', *Journal of Korea Foundry Society*, Vol. 25 No. 2, pp. 68–72.
- [81] Maleki, A., Niroumand, B. and Shafyei, A. (2006) 'Effects of squeeze casting parameters on density, macrostructure and hardness of LM13 alloy', *Materials Science and Engineering: A*, Vol. 428 No. 1-2, pp. 135–140.
- [82] Vijayaram, T.R., Sulaiman, S., Hamouda, A.M.S. and Ahmad, M.H.M. (2006) 'Fabrication of fiber reinforced metal matrix composites by squeeze casting technology', *Journal of Materials Processing Technology*, Vol. 178 No. 1-3, pp. 34–38.
- [83] Maeng, D., Lee, J., Won, C., Cho, S. and Chun, B. (2000) 'The effects of processing parameters on the microstructure and mechanical properties of modified B390 alloy in direct squeeze casting', *Journal of Materials Processing Technology*, Vol. 105 No. 1-2, pp. 196–203.
- [84] Youn, S., Kang, C. and Seo, P. (2004) 'Thermal fluid/solidification analysis of automobile part by horizontal squeeze casting process and experimental evaluation', *Journal of Materials Processing Technology*, Vol. 146 No. 3, pp. 294–302.
- [85] Long, S., Beffort, O., Cayron, C. and Bonjour, C. (1999) 'Microstructure and mechanical properties of a high volume fraction SiC particle reinforced AlCu4MgAg squeeze casting', *Materials Science and Engineering: A*, Vol. 269 No. 1-2, pp. 175–185.
- [86] Britnell, D. and Neailey, K. (2003) 'Macrosegregation in thin walled castings produced via the direct squeeze casting process', *Journal of Materials Processing Technology*, Vol. 138 No. 1-3, pp. 306–310.
- [87] Boschetto, A., Costanza, G., Quadrini, F. and Tata, M.E. (2007) 'Cooling rate inference in aluminum alloy squeeze casting', *Materials Letters*, Vol. 61 No. 14-15, pp. 2969–2972.
- [88] Zhang, M., Zhang, W.-W., Zhao, H.-D., Zhang, D.-T. and Li, Y.-Y. (2007) 'Effect of pressure on microstructures and mechanical properties of Al–Cu-based alloy prepared by squeeze casting', *Transactions of Nonferrous Metals Society of China*, Vol. 17 No. 3, pp. 496–501.
- [89] Sun, Z., Hu, H. and Niu, X. (2011) 'Determination of heat transfer coefficients by extrapolation and numerical inverse methods in squeeze casting of magnesium alloy AM60', *Journal of Materials Processing Technology*, Vol. 211 No. 8, pp. 1432–1440.
- [90] Onat, A., Akbulut, H. and Yilmaz, F. (2007) 'Production and characterisation of silicon carbide particulate reinforced aluminium–copper alloy matrix composites by direct squeeze casting method', *Journal of Alloys and Compounds*, Vol. 436 No. 1-2, pp. 375–382.
- [91] Lianxi, H. and Erde, W. (2000) 'Fabrication and mechanical properties of SiCw/ZK51A magnesium matrix composite by two-step squeeze casting', *Materials Science and Engineering: A*, Vol. 278 No. 1-2, pp. 267–271.
- [92] Senthil, P. and Amirthagadeswaran, K.S. (2012) 'Optimization of squeeze casting parameters for non symmetrical AC2A aluminium alloy castings through Taguchi method', *Journal of Mechanical Science and Technology*, Vol. 26 No. 4, pp. 1141–1147.
- [93] Beffort, O., Long, S., Cayron, C., Kuebler, J. and Buffat, P.-A. (2007) 'Alloying effects on microstructure and mechanical properties of high volume fraction SiC-particle reinforced Al–MMCs made by squeeze casting infiltration', *Composites Science and Technology*, Vol. 67 No. 3-4, pp. 737–745.
- [94] Chen, Q., Yuan, B., Zhao, G., Shu, D., Hu, C., Zhao, Z. and Zhao, Z. (2012) 'Microstructural evolution during reheating and tensile mechanical properties of thixoforged AZ91D-RE magnesium alloy prepared by squeeze casting–solid extrusion', *Materials Science and Engineering: A*, Vol. 537, pp. 25–38